


ELECTRIC TOOL PARTS LIST

■ CORDLESS IMPACT WRENCH Model WR 14DMR

2005 · 7 · 8

(E1)



PARTS

WR 14DMR

ITEM NO.	CODE NO.	DESCRIPTION	NO. USED	REMARKS	
1	324-238	FRONT CAP (C)	1		
2	324-239	PROTECTOR (D)	1		
3	307-851	TAPPING SCREW (W/SP. WASHER) D4X30 (BLACK)	4		
4	324-250	HAMMER CASE	1		
5	324-257	PIN RETAINER (B)	1		
6	324-256	PLUNGER (B)	1		
7	324-255	ANVIL (A) ASS'Y	1	INCLUD. 5, 6	
8	959-154	STEEL BALL D5.556 (10 PCS.)	2		
9	324-218	HAMMER	1		
10	959-148	STEEL BALL D3.175 (10 PCS.)	28		
11	315-978	WASHER (J)	1		
12	324-224	HAMMER SPRING (F)	1		
13	316-172	WASHER (S)	1		
14	324-222	STOPPER (B)	1		
15	324-232	SPINDLE	1		
16	321-667	IDLE GEAR SET (2 PCS.)	2		
17	324-234	NEEDLE ROLLER (A)	2		
18	320-877	RING GEAR (C)	1		
19	319-911	WASHER (E)	1		
20	690-1VV	BALL BEARING 6901VVCMP2L	1		
21	324-230	DAMPER (A)	2		
22	324-229	INNER COVER (B)	1		
23	360-712	ARMATURE AND PINION SET	1		
24	324-607	SIDE YOKE (A)	1		
25	324-235	MAGNET (F) ASS'Y	1	INCLUD. 24	
26	324-228	DUST GUARD FIN (B)	1		
27	324-226	BRUSH BLOCK	1		
28	999-054	CARBON BRUSH 5X6X11.5 (1 PAIR)	2		
29	319-918	BRUSH CAP	2		
30	302-086	TAPPING SCREW (W/FLANGE) D4X20 (BLACK)	8		
31	324-686	HITACHI PLATE	1		
32	324-237	HOUSING (A).(B) SET	1		
33	324-686	HITACHI PLATE	1		
34	994-532	MACHINE SCREW (W/SP. WASHER) M3X5	2		
35	324-227	DC-SPEED CONTROL SWITCH	1		
36	324-225	PUSHING BUTTON (B)	1		
37	321-918	HOOK ASS'Y (W/LIGHT)	1	INCLUD. 38, 39	
38	321-672	TAPPING SCREW D2X6	2		
39	320-288	V-LOCK NUT M5	1		
40	306-952	STRAP (BLACK)	1		
* 41		CAUTION PLATE (A)	1	FOR USA, CAN	
42	319-926	HOOK SPRING	1		
43	320-881	SPECIAL SCREW (A) M5	1		
* 44	315-129	BATTERY EB 14B (W/ENGLISH N.P.)	2		
* 44	315-130	BATTERY EB 14B (W/ENGLISH N.P.)	2	FOR NZL	
* 44	322-883	BATTERY EB 1426H (W/ENGLISH N.P.)	2		
* 44	318-372	BATTERY EB 1430H (W/ENGLISH N.P.)	2		

STANDARD ACCESSORIES

WR 14DMR

ITEM NO.	CODE NO.	DESCRIPTION	NO. USED	REMARKS	
* 501		CHARGER (UC 14YFA)	1		
* 501		CHARGER (UC 18YG)	1		
502	323-230	CASE	1		

OPTIONAL ACCESSORIES

ITEM NO.	CODE NO.	DESCRIPTION	NO. USED	REMARKS	
601		CORNER ATTACHMENT ASS'Y EW-14R	1	INCLUD. 602-618	
602	955-300	HOUSING	1		
603	955-301	METAL	3		
604	955-302	SPINDLE	1		
605		HITACHI LABEL	1		
606	955-303	BEARING RACE	2		
607	955-304	NEEDLE THRUST BEARING (NTA-1413)	2		
608	955-305	COVER	1		
609	955-306	NEEDLE BEARING (NTN BK1012)	1		
610	948-227	RETAINING RING FOR D47 HOLE	1		
611	955-307	PINION	1		
612	955-308	SLEEVE	1		
613	955-309	WASHER	1		
614	955-310	SOCKET COVER	1		
615	955-311	SOCKET	1		
616	303-247	SEAL LOCK HEX. SOCKET HD. BOLT M5X25	6		
617	873-537	SOCKET PIN	1		
618	873-187	O-RING (J1SW1516)	1		
619	991-481	FORM TIE SOCKET ASS'Y 11.3MMX95L	1	INCLUD. 617, 618	
620	992-610	UNIVERSAL JOINT ASS'Y	1	INCLUD. 617, 618	
621	955-153	UNIVERSAL JOINT PIN	1		
622	991-476	BIT ADAPTER ASS'Y	1	INCLUD. 617, 618	
623	991-480	HEX. SOCKET ASS'Y (LONG) 21MMX125L	1	INCLUD. 617, 618	
624	944-291	HEX. SOCKET ASS'Y 10MMX40L	1	INCLUD. 617, 618	
625	873-632	HEX. SOCKET ASS'Y 12MMX40L	1	INCLUD. 617, 618	
626	873-539	HEX. SOCKET ASS'Y 13MMX40L	1	INCLUD. 617, 618	
627	873-540	HEX. SOCKET ASS'Y 14MMX40L	1	INCLUD. 617, 618	
628	873-536	HEX. SOCKET ASS'Y 17MMX32L	1	INCLUD. 617, 618	
629	873-624	HEX. SOCKET ASS'Y 19MMX34L	1	INCLUD. 617, 618	
630	873-626	HEX. SOCKET ASS'Y 21MMX36L	1	INCLUD. 617, 618	
631	873-627	HEX. SOCKET ASS'Y 22MMX40L	1	INCLUD. 617, 618	
632	986-058	HEX. SOCKET FOR PLASTIC CONE 12MMX70L	1	INCLUD. 617, 618	
633	873-633	EXTENSION BAR ASS'Y (SQUARE) 12.7MMX100L	1	INCLUD. 617, 618	
634	955-151	HEX. SOCKET ASS'Y (LONG) 21MMX75L	1	INCLUD. 617, 618	
635	955-138	HEX. SOCKET ASS'Y (LONG) 12MMX52L	1	INCLUD. 617, 618	
636	955-139	HEX. SOCKET ASS'Y (LONG) 13MMX52L	1	INCLUD. 617, 618	
637	955-140	HEX. SOCKET ASS'Y (LONG) 14MMX52L	1	INCLUD. 617, 618	
638	955-141	HEX. SOCKET ASS'Y (LONG) 17MMX52L	1	INCLUD. 617, 618	
639	955-142	HEX. SOCKET ASS'Y (LONG) 19MMX52L	1	INCLUD. 617, 618	
640	955-149	HEX. SOCKET ASS'Y (LONG) 17MMX75L	1	INCLUD. 617, 618	
641	955-150	HEX. SOCKET ASS'Y (LONG) 19MMX75L	1	INCLUD. 617, 618	

OPTIONAL ACCESSORIES

WR 14DMR

[illegible]